



HUA YI SECONDARY SCHOOL PRELIMINARY EXAMINATION 2024

4-G3 / 5-G2

NAME

CLASS

--	--

INDEX
NUMBER

--	--

MATHEMATICS
PAPER 1

4052/01

13 August 2024

2 hour 15 minutes

Candidates answer on the Question Paper.

READ THESE INSTRUCTIONS FIRST

Write your name, class, and index number on all the work you hand in.
Write in dark blue or black pen.
You may use an HB pencil for any diagrams or graphs.
Do not use staples, paper clips, glue, or correction fluid.

Answer **all** the questions.

The number of marks is given in brackets [] at the end of each question or part question.

If working is needed for any question it must be shown with the answer.
Omission of essential working will result in loss of marks.
The total of the marks for this paper is 90.

The use of an approved scientific calculator is expected, where appropriate.
If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.
For π , use either your calculator value or 3.142.

For Examiner's
Use

90

This document consists of 22 printed pages.

© HYSS 2024

No part of this document may be reproduced in any form or transmitted in any form or by any means
without the prior permission of Hua Yi Secondary School.

Setter: Ms Jasmine Tan

Mathematical Formulae**Compound interest**

$$\text{Total Amount} = P \left(1 + \frac{r}{100} \right)^n$$

Mensuration

$$\text{Curved surface area of a cone} = \pi r l$$

$$\text{Surface area of a sphere} = 4\pi r^2$$

$$\text{Volume of a cone} = \frac{1}{3} \pi r^2 h$$

$$\text{Volume of a sphere} = \frac{4}{3} \pi r^3$$

$$\text{Area of triangle } ABC = \frac{1}{2} ab \sin C$$

$$\text{Arc length} = r\theta, \text{ where } \theta \text{ is in radians}$$

$$\text{Sector area} = \frac{1}{2} r^2 \theta, \text{ where } \theta \text{ is in radians}$$

Trigonometry

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

Statistics

$$\text{Mean} = \frac{\sum fx}{\sum f}$$

$$\text{Standard deviation} = \sqrt{\frac{\sum fx^2}{\sum f} - \left(\frac{\sum fx}{\sum f} \right)^2}$$

1 (a) Calculate $\frac{-(-11.8) - \sqrt{(-11)^2 - 7 \times 16 \times (-40)}}{2 \times 16}$

Answer [1]

- (b) There are 800 people in an auditorium, correct to the nearest hundred.
State the minimum number of people that could be in the auditorium at this time.

Answer people [1]

- 2 (a) Express 1400 as the product of its prime factors.

Answer [1]

- (b) Write down the smallest positive integer k such that $1400k$ is a perfect cube.

Answer $k =$ [1]

- (c) n is a number between 300 and 400.
The highest common factor of n and 1400 is 35.
Find the largest possible value for n .

Answer $n =$ [2]

3 (a) Simplify $y^0 \div 9x^{-2} \times x^7$.

Answer [2]

(b) Simplify $(81a^{12})^{\frac{5}{4}}$.

Answer [1]

4 (a) Express as a single fraction in its simplest form $\frac{18b^7}{5c^2} \div \frac{3b^4}{81}$.

Answer [2]

(b) Use the laws of indices to show that $6^4 \times 100 + 116 \times 36^2$ can be expressed as a single power of six.

Answer [2]

- 5 In a greenhouse, the estimated number of flowering plants increased from 4100 in January 2024 to 4980 in June 2024. The number increased by $c\%$ every month.
Find the value of c .

Answer $c = \dots\dots\dots$ [3]

-
- 6 Kyle runs a tennis club. 54 of the members are adults and 31 are children.

His aim is that **at least** 60% the members should be children.

Form an inequality to find the smallest number of children that Kyle would still need to recruit achieve his aim.

Answer $\dots\dots\dots$ children [3]

- 7 A car travels at an average speed of 74.5 km/h for 2.25 hours.

(a) Convert 75 km/h to m/s.

Answer m/s [1]

(b) By rounding the numbers correct to 1 significant figure, find an estimate of the distance travelled by the car. Show your working clearly.

Answer km [2]

(c) Without doing any calculation, explain why the actual distance travelled by the car is greater than the answer to (b).

Answer [1]

.....

.....

.....

.....

- 8 Isha has written down five numbers.

The mean of these numbers is 13.2, the median is 12 and the mode is 7.

The largest number is three times the smallest number.

Find the five numbers in **ascending** order.

Answer , , , , [2]

9 Factorise completely

(a) $2p^4 - 32s^4$,

Answer [3]

(b) $12cd - 9cx + 6xy - 8dy$.

Answer [2]

10 (a) Express $9 - 8x + x^2$ in the form $a + (x + b)^2$. Find the value of a and of b .

Answer $a =$ [1]

$b =$ [1]

(b) Explain why when $x = 4$, the expression $9 - 8x + x^2$ has its minimum value.

Answer [1]

.....

.....

.....

.....

11 Solve the equation $5 + 2x = \frac{20}{1+x}$.

Answer $x = \dots\dots\dots$ or $\dots\dots\dots$ [3]

12 The points $(4, 20)$ and $(10, -4)$ satisfy the curve given by the equation $y = ax^2 + bx - 4$.

Use an algebraic method to determine the values of a and b .


Answer $a = \dots\dots\dots$, $b = \dots\dots\dots$ [4]

13 $\mathcal{E} = \{\text{integers } x: 1 \leq x \leq 16\}$

$V = \{1, 2, 4, 8, 16\}$

$W = \{1, 4, 7, 9, 10, 14\}$

Some of the information is shown on the Venn diagram.



- (a) Complete the Venn diagram by representing all the elements in the given sets.

Answer in above Venn diagram

[1]

- (b) Describe the elements of Set V .

Answer

[1]

.....

.....

.....

- (c) List the elements contained in the set $V' \cap W$.

Answer [1]

- (d) Find the number of elements in $(V \cap W') \cup (V \cup W)'$.

Answer [1]

- (e) Use one of the symbols below to complete each statement.

=

(i) $\{2, 16\}$ V

(ii) 13 W

Answer (e) (i) [1]

(ii) [1]

- 14 In grocery mart G , water costs \$1.80 per litre, fresh milk costs \$2.90 per litre and juice costs \$2.30 per litre.

In grocery mart H , water costs \$0.20 more per litre, fresh milk costs \$0.40 less per litre and juice costs \$0.10 less per litre.

This information can be represented by the matrix $Q = \begin{matrix} & \begin{matrix} G & H \end{matrix} \\ \begin{matrix} W \\ M \\ J \end{matrix} & \begin{pmatrix} 1.8 & 0.2 \\ 2.9 & -0.4 \\ 2.3 & -0.1 \end{pmatrix} \end{matrix}$

- (a) Rayyen and Zinnie went shopping together.

Rayyen bought 4 litres of water, 2 litres of milk and 3 litres of juice.

Zinnie bought 3 litres of water and 4 litres of juice.

Represent their purchases in a 2×3 matrix P .

Answer $P = \dots\dots\dots$ [1]

- (b) Evaluate the matrix $R = PQ$.

Answer $R = \dots\dots\dots$ [2]

- (c) State what the elements in the second column of matrix R represent.

Answer

[1]

.....

- (d) Rayyen shopped in grocery mart H . He got a discount coupon that entitled him to a discount of 15%. How much did he pay altogether for his items?

Answer \$ [2]

15 In a regular polygon, the ratio of an interior angle : exterior angle = 14 : 1.

(a) Find the number of sides of the polygon.


Answer sides [3]

(b) Find the sum of the interior angles of the polygon.

Answer° [1]

16 In the diagram, BDK is a straight line and $AB = AD$.

Angle $ABD = 36^\circ$, angle $CBD = 49^\circ$ and angle $CDK = 121^\circ$.



Explain why it is possible to draw a circle that passes through the points A , B , C and D .

Give reasons for each step of your working.

Answer

[3]

.....

.....

.....

.....


.....

.....

.....

.....

- 17 The diagram represents a plot of land, $EFGH$, which is to be used for an observatory.



- (a) Construct the bisector of the angle EHG . [1]
(b) Construct the perpendicular bisector of EF . [1]
(c) A café is to be built in the observatory, nearer to E than to F and nearer to GH than to EH .
Shade the region where the café is to be built. [1]

- 18 (a) A cargo ship has an average fuel consumption of 0.000 892 kilometres per litre.
Write this consumption in litres per kilometre.

Answer l / km [1]

- (b) A model of another cargo ship is made to a scale of 1 : 60.
The length of this model cargo ship is 550 cm.
(i) Find the actual length of this cargo ship.


Answer m [1]

The capacity of the fuel tanks in the model cargo ship is 7.75 litres.

- (ii) Find the actual capacity of the fuel tanks of the cargo ship.
Express your answer in standard form.

Answer l [2]

- 19 A composite solid is made from a cylinder and two hemispheres.
The cylinder has radius p and length $2p$, while the hemispheres have radius p .



The total surface area of the solid is six times the total surface area of a cone with radius p and slant height l .

Find l in terms of p .

Answer $l = \dots\dots\dots$ [3]

20 Gino can paint 6 fence panels in 4 hours, while Danish can paint 7 fence panels in 5 hours.

Gino and Danish work together to paint a total of 21 panels.

If they continue to paint at the same rate, how long will it take them to paint 21 panels?

Give your answer in hours and minutes, correct to the nearest minute.

Answer h min [3]

21 A fitness centre has 16 employees.

One of the 16 employees is selected at random.

The probability that it is a woman working part time is $\frac{1}{8}$.

Two of the 16 employees are selected at random.

The probability that they are both men working full time is $\frac{1}{8}$.

Complete the table of information below about the 16 employees of the fitness centre.

Show all supporting calculations clearly.

Answer

[4]

	<i>Part-time employees</i>	<i>Full-time employees</i>
<i>Women</i>		5
<i>Men</i>		

- 22 A librarian wants to find out how much time patrons spend at the library in a week. He uses the questionnaire.

How many hours do you spend at the library in a week (including weekends)?

Please tick one box.

--	--	--	--

1 – 2

3 – 4

5 – 7

over 7

List two ways to improve the questionnaire.

Answer

[2]

.....

.....

.....

.....

.....

.....

.....

23 K is the point $(7, -8)$ and L is the point (x, y) .

The gradient of the line KL is $\frac{2}{3}$.

Maverick claims that it is possible to express x in terms of y , such that $x = a + by$, where a and b are constants.

Explain why Maverick is correct.


Answer

[2]

20
with centre O .
th centre P .
oth circles.



AOB is a straight line.



[3]

ACHIEVE

- 24 (b) Angle $ABC = y^\circ$
Find, in terms of y ,

(i) angle BAC ,

Answer $^\circ$ [1]


(ii) angle QPR .

Answer $^\circ$ [2]

25 ORS is a triangle.

J is a point on RS such that $RJ : JS = 3 : 2$.

$\overrightarrow{OR} = \mathbf{r}$ and $\overrightarrow{OS} = \mathbf{s}$.



(a) Show that $\overrightarrow{OJ} = \frac{1}{5}(2\mathbf{r} + 3\mathbf{s})$.

Answer

[2]

(b) X is a point such that $\overrightarrow{RX} = \frac{1}{5}(\mathbf{r} + 9\mathbf{s})$.

Explain why O , J and X lie on a straight line.

Answer

[2]

END OF PAPER



HUA YI SECONDARY SCHOOL
PRELIMINARY EXAMINATION 2024

4-G3 /
5-G2

NAME

--

CLASS

--	--

INDEX
NUMBER

--	--

MATHEMATICS
PAPER 2

4052/02

19 August 2024
2 hour 15 minutes

Candidates answer on the Question Paper.

READ THESE INSTRUCTIONS FIRST

Write your name, class, and index number on all the work you hand in.
Write in dark blue or black pen.
You may use an HB pencil for any diagrams or graphs.
Do not use staples, paper clips, glue, or correction fluid.

Answer **all** the questions.
The number of marks is given in brackets [] at the end of each question or part question.

If working is needed for any question it must be shown with the answer.
Omission of essential working will result in loss of marks.
The total of the marks for this paper is 90.

The use of an approved scientific calculator is expected, where appropriate.
If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.
For π , use either your calculator value or 3.142.

For Examiner's
Use

90

This document consists of 24 printed pages.

© HYSS 2024

No part of this document may be reproduced in any form or transmitted in any form or by any means without the prior permission of Hua Yi Secondary School.

Setter: Ms Jasmine Tan

Mathematical Formulae**Compound interest**

$$\text{Total Amount} = P \left(1 + \frac{r}{100} \right)^n$$

Mensuration

$$\text{Curved surface area of a cone} = \pi r l$$

$$\text{Surface area of a sphere} = 4\pi r^2$$

$$\text{Volume of a cone} = \frac{1}{3} \pi r^2 h$$

$$\text{Volume of a sphere} = \frac{4}{3} \pi r^3$$

$$\text{Area of triangle } ABC = \frac{1}{2} ab \sin C$$

$$\text{Arc length} = r\theta, \text{ where } \theta \text{ is in radians}$$

$$\text{Sector area} = \frac{1}{2} r^2 \theta, \text{ where } \theta \text{ is in radians}$$

Trigonometry

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

Statistics

$$\text{Mean} = \frac{\sum fx}{\sum f}$$

$$\text{Standard deviation} = \sqrt{\frac{\sum fx^2}{\sum f} - \left(\frac{\sum fx}{\sum f} \right)^2}$$

- 1 (a) Express as a single fraction in its simplest form $\frac{2}{7-3x} - \frac{1}{6-x}$.

Answer [2]

- (b) It is given that $v = \frac{3-5w}{w+2} + 9$.

- (i) Find v when $w = -6$.

Answer [1]

- (ii) Rearrange the formula to make w the subject.

Answer $w =$ [3]

(c) Solve the equation $\frac{5}{x-2} - \frac{3}{x^2-4} = \frac{1}{7}$.

Give your solutions correct to two decimal places.

Answer $x = \dots\dots\dots$, $x = \dots\dots\dots$ [5]

- 2 C is the point $(-9, 1)$ and D is the point $(7, 4)$.

$$\overrightarrow{CE} = \begin{pmatrix} -2 \\ 8 \end{pmatrix}.$$

- (a) Calculate the length of the line CD .

Answer units [2]

- (b) Determine the coordinates of point E .

Answer $E(\dots\dots\dots, \dots\dots\dots)$ [1]

- (c) Find the equation of the line DE .

Leave your answer in the form $ax + by = c$, where a , b and c are constants.

Answer [3]

- 3 (a) The first four terms of a sequence are 5 , $\frac{9}{4}$, $\frac{13}{9}$, $\frac{17}{16}$.

(i) State the fifth term of the sequence.

Answer [1]

(ii) Find an expression, in terms of n , for the n th term, T_n , of this sequence.

Answer $T_n = \dots\dots\dots$ [2]

- (b) Elijah finds a number grid from his board game.
The diagram shows part of a number grid.

A rectangle outlining four numbers, as shown, can be placed anywhere on the grid.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42

- (i) If p represents the number in the top right corner of the rectangle, write down an expression, in terms of p , for the number in the bottom left corner of the rectangle.

Answer [1]

- (ii) Show that the difference between the products of the numbers in the opposite corners of the rectangle is always -7 .

Answer [2]

.....

.....

.....

.....

.....

.....

- (iii) Elijah says it is impossible for the sum of the four numbers in the rectangle to be 199.

Justify with relevant working, why he is correct.

Answer [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

- 4 (a) Sophie earns a monthly salary of \$6875.
She gives 15% of this amount to her parents.
She puts 35% of the remainder into a savings account.

Calculate the amount she has left after giving to her parents and putting into her savings account. Leave your answer correct to the nearest dollar.

Answer \$ [3]

- (b) The cash price of a sofa is \$830.
Sophie buys this sofa on credit.
She pays a deposit of one quarter of the cash price.
She then pays 3 monthly payments of \$260.

Calculate the total amount Sophie pays for the sofa.

Answer \$ [2]

- (c) Sophie pays a monthly rent of \$3174.20.

This is 18% more than her monthly rent last year.

Calculate her monthly rent last year.

Answer \$ [2]

- (d) During her vacation, Sophie visits her friend in Wellington.

Sophie spends NZD 940 in New Zealand using her credit card.

She is charged a 2.6% fee for the currency conversion.


The exchange rate between Singapore dollars (SGD) and New Zealand dollars (NZD) is

SGD 100 = NZD 120.7206.

Calculate the total amount on Sophie's credit card bill, including the fee.

Give your answer in Singapore dollars, correct to the nearest cent.

Answer SGD [3]



$ABCD$ is a field on horizontal ground.

$AD = 163$ m, $BD = 329$ m, $CD = 152$ m and angle $BDC = 48^\circ$.

The bearing of B from A is 151° and the bearing of D from A is 237° .

(a) Calculate the bearing of D from B .

Answer° [3]

- (b) Calculate the distance from B to C .


Answer m [2]

- (c) An aircraft is flying above D .

Find the angle of elevation of the aircraft from C when it is 245 m vertically above D .

Answer ° [2]

- 6 The diagram shows a semicircle, centre O , radius 16 cm.



- (a) Show that angle $AOB = 1.287$ radians, correct to 3 decimal places.

Answer

[2]

- (b) Calculate the area of the shaded region.

Answer cm^2 [3]

- (c) The semicircle is the cross section of a water trough of length 2.8 m, standing on level ground.

The shaded area represents the water in the trough.

- (i) Calculate the volume of water, in cm^3 , in the trough.

Leave your answer in standard form.

Answer cm^3 [3]


- (ii) Calculate the number of litres of water that must be added to fill the trough.

Answer litres [3]

- 7 A researcher wants to conduct a study to find out if there is a correlation between the analytical skills of adults with age.

The researcher invited 80 adults to solve a number puzzle.

The cumulative frequency curve shows the distribution of the time taken.



- (a) Use the curve to estimate
- (i) the median time taken,

Answer s [1]

- (ii) the interquartile range of the time taken.

Answer s [2]

- (b) 20% of the adults took more than n seconds to solve the puzzle.

Find n .

Answer $n =$ [2]


- (c) The frequency distribution of the data for the 80 adults invited to solve the number puzzle is shown in the table.

<i>Time taken, x (seconds)</i>	<i>Frequency</i>
$0 < x \leq 20$	5
$20 < x \leq 40$	40
$40 < x \leq 60$	29
$60 < x \leq 80$	6

Find an estimate of the standard deviation of the time taken by the 80 adults to solve the number puzzle.

Answer s [2]

- (d) The same group of adults were each given a word puzzle to solve. The box-and-whisker plot shows the distribution of the time taken.



Make two comparisons between the performances of the adults in solving the two puzzles.

Answer

[2]

.....

.....

.....

.....


.....

.....

.....

.....

- 8 In the diagram, XYZ is a straight line.
 $AY = 20$ m, $AZ = 12$ m and $YZ = 16$ m.
 The ratio of $XY : YZ$ is $1 : 4$.



- (a) Prove that triangle AYZ is right-angled.

Answer

[2]

- (b) Find the value of $\cos \angle AYX$, giving your answer as a fraction in its lowest terms.

Answer [1]

- (c) The area of triangle AXY is approximately 24.017 m^2 .

Lenard says: In another triangle AYW , whereby the length of AY , YX and area are the same as triangle AXY , it is possible for angle Y to be acute.

Explain why Lenard is correct. Use calculations to support your answer.

Answer

[2]

.....

.....

.....

.....

.....

.....

.....

.....

- 9 The variables x and y are connected by the equation $y = \frac{x^3}{2} - 5x - 2$.

Some corresponding values of x and y are given in the table.

x	-3	-2	-1	0	1	2	3	4
y	-0.5	4	2.5	-2	-6.5	k	-3.5	10

- (a) Find the value of k .

Answer $k = \dots\dots\dots$ [1]

- (b) On the grid on page 19, draw the graph of $y = \frac{x^3}{2} - 5x - 2$ for $-3 \leq x \leq 4$. [2]

- (c) The equation $\frac{x^3}{2} - 5x = 7$ has only one solution.

Explain how this can be deduced from your graph.

Answer

[2]

- (d) By drawing a tangent, estimate the gradient of the curve at $(1, -6.5)$.

Answer Gradient = $\dots\dots\dots$ [2]

- (e) (i) On the same grid, draw the line $y = 4 - x$ for $-1 \leq x \leq 4$. [2]


- (ii) Write down the x -coordinate of the point where this line intersects the curve.

Answer $x = \dots\dots\dots$ [1]

- (iii) This value of x is a solution of the equation $x^3 + Ax + B = 0$.

Find the value of A and the value of B .


Answer $A = \dots\dots\dots, B = \dots\dots\dots$ [2]



10 Javier and Stella are planning their exercise routines.

Javier and Stella have a body mass of 70 kg and 60 kg respectively.

The speed for walking and jogging of the two individuals are represented in the chart.



They research the following information about the benefits of exercise.

HEALTH ADVICE

For optimal health benefits, adults should do at least 150 minutes of moderate-intensity aerobic activity, or at least 75 minutes of vigorous-intensity aerobic activity per week.

For additional health benefits, adults should increase their moderate-intensity aerobic activity to 300 minutes per week, or an equivalent combination of moderate-intensity and vigorous-intensity aerobic activity.

1 minute of vigorous-intensity aerobic activity is equivalent to 2 minutes of moderate-intensity aerobic activity.

E.g. 10 minutes of jogging = 20 minutes of brisk walking.

Muscle-strengthening activities should be done on 2 or more days per week.

Approximate calories burned during 30 minutes of aerobic exercise

	Body mass			
	60 kg	70 kg	80 kg	90 kg
Walking 5 km/h	105	120	135	150
Walking 6.5 km/h	130	150	170	190
Jogging 8 km/h	240	280	315	350
Jogging 9.5 km/h	300	345	390	435

Non-aerobic muscle-strengthening activities

- ❖ 1 hour of yoga burns approximately 3 calories per kilogram of body mass
- ❖ 1 hour of weight training burns approximately 4 calories per kilogram of body mass

- (a) In their first week of exercise, they each plan to go for four brisk walks.

They will walk the same route each time.

The four walks together meet the minimum target for the time for optimal health benefits in one week.

- (i) Find the distance of one of these walks.

Answer km [2]

- (ii) Find out how many more calories Javier burns in these four walks than Stella.

Answer calories [1]

- (b) After one month, they change their routines.

Javier wants to gain additional health benefits.

He decides to do a 4 km walk 3 times per week and do a 6 km jog 2 times per week.

He will also attend a 45-minute yoga class 2 times per week.

Stella wants to maintain optimal health benefits.

She decides to do an 8 km jog 2 times per week.

She will also attend a 30-minute weight training session 2 times per week.

Javier says:

We will both meet our targets for exercise.

However, I will burn about 50% more calories than Stella during our exercise per week.

Is Javier correct?

Justify your decision with clear calculations.

Answer

[7]

Answer space for 10 (b)

Answer space for 10 (b)

Javier is

.....

.....

.....

.....

END OF PAPER